

CURRICULUM VITAE

GERI EILEEN POSS, M.D.

ADDRESS: Paragon Research Center
5430 Fredericksburg Road, Suite 400
San Antonio, Texas 78229
(210) 340-5646

CURRENT POSITION: Private Practice 1984 - Present

EDUCATION: University of Texas Medical Branch, Galveston, Texas
Degree: M.D. 1978 - 1982

University of Texas, San Antonio, Texas
Degree: B.S. Biology 1976 - 1978

POST GRADUATE TRAINING: Santa Rosa Family Practice, San Antonio, Texas
Residency Program 1997-1999

Texas Tech University, El Paso, Texas
Flexible Internship 1982 - 1983

CERTIFICATION: Board Certification – Family Practice - 1999

LICENSURE: Texas License #G-3700

PROFESSIONAL AFFILIATIONS: American Academy of Family Practice
Texas Academy of Family Practice
Alamo Chapter of Family Practice

EMPLOYMENT:

Clinical Research Investigator for Paragon Research Center
5430 Fredericksburg Road Ste: 400
San Antonio, Texas
2007-Present

Clinical Research Investigator for Innovative Clinical Trials
Family Physician for Bexar Diagnostic Medicine Asso. P.A.
Group Practice
San Antonio, Texas
2001 - Present

Family Physician and Clinical Research Investigator
Private Practice
San Antonio, Texas
2000 - 2001

Family Physician Alamo City Medical Group
San Antonio, Texas
1999 - 2000

Medical Director of Patient Care Committee
Prompt Care Urgent Care Center
Solomon Anthony Clinic
San Antonio, Texas
1994 - 1997

Family Physician for Alternative Medical Care
ARE Medical Clinic
Phoenix, Arizona
1993 - 1994

Family Physician Northeast Family Practice
Associate Medical Director, Humana Medical Center
San Antonio, Texas
1993

Family Physician Private Practice
Schertz, Texas
1984 - 1993

Family Physician Gonzales Family Health Clinic
San Antonio, Texas
1984

HOSPITAL MEMBERSHIP:

- 1997 – Present Santa Rosa Hospital
519 E. Houston St.
San Antonio, Texas 78207
- 1985 – Present Methodist Hospital Systems
San Antonio, Texas
- 1984 – Present Baptist Memorial Hospital Systems
111 Dallas
San Antonio, Texas

MEDICAL SOCIETY MEMBERSHIPS AND ACTIVITIES

- 1984 – 2003 American Academy of Family Practice
Active Member, Support Member, Resident Member
- 1998 – 1999 Chief Resident of Santa Rosa Family Practice
- 1995 – 1996 Physician Advisory Board – Solomon Anthony Clinic
- 1995 Physician Advisory Board – PacifiCare Insurance Company
- 1985 – 1993 NE Methodist Hospital
Department of Family Practice-Active Member
- 1986 Chief of Family Practice
1987-1991 Medical Executive Committee-Active Member
1989 Secretary to Chief of Staff
Chairperson to Bylaws Committee
1990 Vice Chief of Staff, Quality Assurance
Committee-Active Member
1991 Chief of Staff, Member to the Board of Directors
1992 Quality Assurance Committee-Member of Board of
Directors
- 1992 Bexar PAC-Board of Directors member
- 1991 Affiliated with University of Texas Health Science
Center, Houston, Texas, as preceptor to fourth-year Family
Practice Medical Students

1984 – 1990	NE Baptist Hospital Department of Family Practice-Active Member
1984 – 1990	Bexar County Medical Society Texas Medical Association American Medical Association
1989	Created an IPA called PROMISE in Northeast San Antonio, Texas consisting of 45 Physicians
1986 – 1987	Affiliated with University of Texas Health Science Center, San Antonio, Texas, Training Medical Students
1984 – Present	Alamo Chapter Texas Academy of Family Physicians
	1984 – 1985 Affiliate Member 1986 – 1996 Active Member 1986 Parliamentarian 1987 Secretary 1988 Treasurer 1989 Vice President 1990 President –elect 1991 President

CLINICAL RESEARCH TRAINING

March, 2006	Recertified CCTI
March, 2004	ACRP - Certified Clinical Trial Investigator
Feb., 2004	ACRP - Good Clinical Practices for Clinical Investigators
2004	Pharmastar- CDR for Alzheimer's disease
2003	Pharmastar- CGI for Alzheimer's disease
2003	DIA – Implementation of Good Clinical Practices and Quality Assurance Auditing
2002	WIRB – Investigator Training for Medical Research

CLINICAL TRIALS EXPERIENCE

STUDY DESCRIPTION:

- 2008** A randomized, Double-Blind, Parallel Group Study Evaluating the Efficacy and Safety of Co-Administration of a Triple Combination Therapy of (drug), (drug), and (drug) in Subjects with Hypertension
- 2008** A Randomized, Double-Blind, Placebo-Controlled, Dose Ranging Study to Examine the Safety, Tolerability, and Effect on Body Weight of (drug) Administered in Conjunction With (drug) in Obese and Overweight Subjects
- 2008** Randomized, Double-Blind, Parallel Group, Placebo Controlled Multi-Center Study Evaluating the Efficacy of (drug) and (drug) in Patients with Osteoarthritis of the Knee
- 2008** A Randomized, Double-Blind, Active-Controlled, Parallel Group, Multicenter Study Comparing the Proportion of Subjects with Stage 1 or 2 Essential Hypertension Who Achieve Target Blood Pressure While Receiving Either (drug)
- 2008** A Multicenter, Randomized, Double-Blind, Prospective Study Comparing the Safety and Efficacy of (drug) in Combination with (drug) and (drug) to (drug) in Combination with (drug) in Subjects with Combined (Atherogenic) Dyslipidemia
- 2008** A Six Week Double-Blind, Randomized, Multicenter Comparison Study of the Analgesic Effectiveness of (drug) Compared to (drug) in Subjects with Chronic Low Back Pain
- 2008** A Double-Blind, Randomized, Parallel-Group Study to Compare the Efficacy and Safety of (drug) with (drug) in Subjects With Essential Hypertension
- 2007** A Randomized, Double-Blind, Multicenter, 2-Period, Crossover Study to Establish the Dose Equivalence and Direct Conversion Between Immediate-Release and Extended-Release (ER) (drug) in Subjects with Moderate-to-Severe, Chronic Low Back Pain
- 2007** Open-Label Extension, Single-Arm, Flexible-Dosing, Phase III Trial with (drug) in Subjects with Moderate to Severe Chronic Pain

- 2007** Efficacy and Safety of 2 mg/day of (drug) on Sleep Maintenance Insomnia with a Sub-Study of the Effect of (drug) on Stable Type II Diabetes Mellitus: A One Year, Multi-Center, Randomized, Double-Blind, Placebo-Controlled Study.
- 2007** A Phase III Randomized, Double-Blind, Placebo-Controlled Multicenter study to determine the safety and efficacy of (drug) in the treatment of obesity in an adult population with BMI = 35
- 2007** A Phase III Randomized, Double-Blind, Placebo controlled Multicenter study to determine the safety and efficacy of (drug) in the treatment of obesity in adults with obesity –related CO-Morbid conditions
- 2007** A Double-Blind, Randomized, Placebo-Controlled Study to Evaluate the Efficacy and Safety of (drug) When Co-Administered with (drug) in Subjects with Essential Hypertension
- 2007** A Multi-center, Randomized, Double-blind, Placebo-controlled Study with an Open-label Run-in to Assess the Efficacy, Tolerability, and Safety of (drug) or (drug) Compared to Placebo in Opioid-naïve Subjects with Moderate to Severe, Chronic Low Back Pain
- 2007** A randomized, multicenter, double-blind, double dummy, parallel-group study of (drug) or (drug) compared to placebo on the transient Post-dose Symptoms (PDS) following an i.v. infusion of a single dose of (drug) 5mg, in post-menopausal women with low bone mass
- 2007** A Phase 3, Open-Label group study to compare two dosing algorithms Preprandial human inhaled insulin in Insulin-Naïve patients with Type II Diabetes Mellitus
- 2007** A 12-week, multicenter, randomized, double-blind, parallel-group study of the combination of (drug) and (drug) compared to (drug) and (drug) monotherapy in subjects with type IIa and IIb dyslipidemia
- 2007** A double-blind, multi-center, randomized, parallel-group, yearlong study to assess the efficacy and safety of 0, 800 or 1600 mg/day of (drug) administered orally once daily with a reduced calorie diet in obese males and females
- 2007** An Open-label, 52-Week Extension study assessing (drug) Safety And Efficacy in Patients with Restless Legs Syndrome

- 2007** A 10-week multicenter, randomized, double-blind, parallel-group, forced-Titration study using 24-hr ABPM to evaluate the efficacy of (drug) treatment regimen versus conventional treatment regimen with (drug) And (drug) in patients with Stage 2 hypertension
- 2006** A dose-blinded, long-term safety extension study to the phase 3 study of (drug) in resistant hypertension
- 2006** One-year, randomized, open-label, parallel-arm, phase III long-term safety trial, with controlled adjustment of dose, of multiple doses of (drug) and (drug) in subjects with chronic pain
- 2006** “A Randomized, Parallel-group, Multicenter Study to Examine the Safety, Tolerability, and Body Weight Effect of (drug) Alone and in Combination With the Oral Antiobesity Agents (drug) or (drug) in Overweight and Obese Subjects”
- 2006** Long-term safety and efficacy study of open-label treatment with 80 mg (drug), in patients with mild to moderate diabetic polyneuropathy: A 24-week open label extension
- 2006** A Phase 3 Randomized, Double-Blind, placebo-controlled, multi-center, Parallel group study to evaluate the efficacy and safety of fixed doses of (drug) in subjects with resistant systolic hypertension receiving Combination therapy with four or more antihypertensive drugs including a diuretic
- 2006** “A Multi-center, Randomized, Open-label, Active Controlled, Parallel Arm Study to Compare the Efficacy of 12 Weeks of Treatment with (drug) 100mg, qd to (drug) as Add-on Therapy in Patients with type 2 Diabetes Inadequately controlled with (drug) Monotherapy in a community-based Practice setting”
- 2006** An open-label, randomized study evaluating the long-term effects of (drug) versus (drug) as monotherapy or in combination with (drug) or (drug) for the treatment of patients with hypertension
- 2006** “A Multicenter, Randomized, Placebo-Controlled, Double-Blind, Parallel-Group, Fixed-Dose Study Evaluating the Effect of One Dose of (drug) (20mg/day) on Glycemic Control in Type 2 Diabetic Patients Inadequately Controlled with Insulin”
- 2006** A 28-week, multicenter, randomized, active controlled, parallel group Study to evaluate the effects of (drug) in comparison with (drug) Monotherapy, for the treatment of patients with hypertension, uncontrolled by (drug) monotherapy

- 2006** A randomized, double-blind, single migraine attack, placebo-controlled, Parallel group multicenter study to evaluate the efficacy and tolerability of (drug) tablets vs. placebo when administered during the mild pain phase of menstrual migraine in women with dysmenorrhea
- 2006** Randomized, Multinational, Multicenter, Double-blind, Placebo-Controlled, Two-Arm Parallel Group Trial of (drug) for Reducing The Risk of Major Cardiovascular Events in Abdominally Obese Patients With Clustering Risk Factors
- 2006** A Phase II, Randomized, Double-Blind, Placebo-Controlled, 24-week Dose Finding Study to Evaluate the Efficacy and Safety of (drug) in Patients with Mild to Moderate Diabetic Polyneuropathy
- 2006** A Randomized, Double-Blind, Parallel-Group, Multicenter, Placebo-Controlled Dose-Ranging Study of (drug) for the treatment of Stable Chronic Bronchitis Associated with Chronic Obstructive Pulmonary Disease
- 2006** A Multicenter, Randomized, Double-Blind, Prospective Study Comparing The Safety and Efficacy of (drug) and (drug) Therapy to (drug) and (drug) Monotherapy in Subjects with Mixed Dyslipidemia
- 2006** A 12-Week, Multi-Center, Double-Blind, Placebo-Controlled, Parallel Group, Flexible Dose Polysomnography Study of (drug) Controlled Release for Restless Legs Syndrome (RLS) in RLS Patients with Sleep Disturbance and Periodic Limb Movements (PLM) During Sleep
- 2006** A multicenter, double-blind, randomized parallel-group study to Demonstrate the effect of 24 weeks treatment with (drug) 100 mg qd as add-on to (drug) 500 mg bid compared to (drug) up to 1000 mg bid in Patients with type 2 diabetes inadequately controlled on (drug) 500mg bid monotherapy
- 2006** A Randomized, Double-Blind, Placebo-Controlled Study to Assess the Efficacy and Safety of (drug) in Patients with Restless Legs Syndrome
- 2006** A Randomized, Double-Blind, Double-Dummy, Parallel Group, Factorial Design Trial to Assess the Efficacy and Safety of up to Six Weeks Treatment with 20mg, 40mg, or 80mg QD doses of (drug) Controlled Release Formulation or 10mg, 20mg, or 40mg QD doses of (drug) or a Combination of One of the Doses of Each Medication

- 2006** A randomized, double-blind, placebo-controlled, parallel-group study to Evaluate the efficacy and tolerability of (drug) for a single moderate or severe headache in adults diagnosed with probable migraine without aura
- 2006** A Phase II, Randomized, Double-Blind, Placebo-Controlled, 24-Week Dose Finding Study to Evaluate the Efficacy and Safety of 20 mg, 40mg and 80mg of (drug) in Patients with Mild to Moderate Diabetic Polyneuropathy
- 2006** A long-term, open-label, safety extension study of the combination of (drug) and (drug) therapy for subjects with mixed dyslipidemia
- 2005** A double-blind, randomized, placebo- and active-controlled, forced Titration study evaluating the effects of (drug) on blood pressure and heart Rate in African American patients with hypertension
- 2005** A randomized, double-blind, placebo-controlled, parallel-group, Multicenter study comparing an eight-week treatment of (drug) to Placebo in patients with essential hypertension
- 2005** A Randomized, Double-Blind, Placebo-Controlled Trial to Assess Safety And Tolerability during Treatment of Type 2 Diabetes with Usual Diabetes Therapy and either (drug) or Placebo
- 2005** “A Multi-Center, Double-Blind, Placebo-Controlled Randomized Study Of (drug) 200mg in the Treatment of Chronic Low Back Pain
- 2005** A multi-Centered, Randomized, Double-Blind, Placebo Controlled Study Assessing the Add-On Effect of Oral Steroids in Relapsing Remitting Multiple Sclerosis Subjects Treated with Glatiramer Acetate (GA)
- 2005** A 12-Week, Double-Blind, Placebo Controlled, Parallel Group Study to Assess the Efficacy and Safety of (drug) (Extended Release) in Patients with Restless Legs Syndrome.
- 2005** A Randomized, Double-Blind, Positive-Controlled, Multicenter Study Comparing the Efficacy of Carvedilol Phosphate Modified Release Formulation (drug) and Metoprolol Succinate Extended Release (drug) on the Reduction of Microalbuminuria in Patients With Hypertension and Microalbuminuria.
- 2005** “A Multi-Center, Standard of Care-Controlled Study to Evaluate the Long-Term Safety of (drug) the Treatment of Chronic Low Back Pain”.

- 2005** “Randomized, double-blind, placebo-controlled, parallel-group, fixed-dose (drug) multicenter study of long-term glycemic control with (drug) in treatment-naïve patients with type 2 diabetes”.
- 2005** A 12 Week Double-blind, Placebo-controlled Study to Assess the Tolerability, Efficacy and Safety of (drug) Dosed PRN in Subjects with Restless Legs Syndrome (RLS) who Respond to Open-Label Treatment with Ropinirole. (TREAT RLS PRN).
- 2005** A multicenter, randomized, double-blind study to compare the effects of 24 weeks treatment with (50mg qd, 50 mg bid or 100 mg qd) to placebo in drug naïve patients with type 2 diabetes
- 2005** A 28-week extension to a multicenter, randomized, double-blind study to compare the effects of 24 weeks treatment with (50 mg qd, 50 mg bid or 100mg qd) to placebo in drug naïve patients with type 2 diabetes.
- 2005** A 52-week, open-label study to assess the long-term safety of (drug) extended release (XR) in patients with restless legs syndrome (RLS)
- 2005** Efficacy and safety of (drug) on Sleep Maintenance Insomnia: a 12-week multicenter, randomized, double-blind, placebo-controlled study followed by an open treatment phase extension with (drug) for 40 weeks period
- 2005** A Multi-Center, Double-Blind, Placebo-Controlled Randomized Study of (drug) in the Treatment of Chronic Low Back Pain
- 2004** A 12 Week, Double-Blind, Placebo Controlled, Twice Daily Dosing Study to Assess the Efficacy and Safety of Ropinirole in Patients Suffering from Restless Legs Syndrome (RLS) Requiring Extended Treatment Coverage.
- 2004** A randomized, multicenter, double-blind, placebo-controlled, 18-month study of the efficacy of (drug) in patients with mild-to-moderate dementia of the Alzheimer’s type. & Extension Study
- 2004** A single-country, multicenter, double-blind, double-dummy, randomized 2-arm, parallel-group, phase 3b study, evaluating the efficacy and safety of (drug), with and without and association of (drug), as an aid to smoking cessation during a 9-week active treatment period in a population of smokers motivated to quit.

- 2004** “Evaluation of the Long-Term Efficacy and Safety of (drug) Compared to Placebo, When Both are Administered Over a Long-Term Period “As Needed“, in Patients With Chronic Primary Insomnia (A Randomized, Double-Blind, Placebo- Controlled, Parallel Group, Multicentre, Phase IIIb Clinical Study”
- 2004** A randomized, double-blind, parallel group, placebo-controlled, single attack evaluation of the efficacy and tolerability of (drug-sumatriptan 85mg/naproxen sodium 500mg) tablets vs. placebo when administered during the mild pain phase of a migraine.
- 2004** A multicenter, randomized, double-blind study to compare the effects of 24 weeks treatment with (drug) (50 mg qd, 50 mg BID or 100 mg qd) to placebo in drug naïve patients with type 2 diabetes
- 2004** Comparison of the efficacy and safety of a 20mg/day oral dose of (drug) versus placebo as an aid to smoking cessation - a US, randomized, double-blind, 2 arm, placebo-controlled, parallel-group, fixed dose, 12-week, multi-center, Phase 3 trial; 2-week screen, 10-week treatment.
- 2004** A Randomized, Double-Blind, Multi-Center Study Comparing (drug) to Placebo in the Treatment of Irritable Bowel Syndrome (IBS) Symptoms.
- 2004** A Double-Blind, Placebo Controlled Study of the Efficacy and Tolerability of Once Daily (drug) vs. Placebo in the Treatment of Subjects with Osteoarthritis of the Knee Non-Responsive to Naproxen and Ibuprofen
- 2004** A multi-center, randomized, double-blind, double-dummy study evaluating the safety and efficacy of the addition of (drug) to (drug) or (drug) in the treatment of diabetic hypertensive subjects
- 2004** Long term, Open-label, Flexible-dose Study of Efficacy & Safety of (drug) in Patients with Idiopathic RLS
- 2004** An Open-Label Extension Study to Evaluate the Safety of (drug) in Subjects with Painful Diabetic Neuropathy
- 2004** Atrial Fibrillation (drug) Trial with (drug) for Prevention of Vascular Events (ACTIVE): A Parallel Randomized Controlled Evaluation of (drug) Plus (drug), with Factorial Evaluation of (drug), for the Prevention of Vascular Events, in Patients with Atrial Fibrillation

- 2003** Phase III, randomized, double-blind, placebo controlled, multicenter trial to Evaluate the safety and efficacy (drug) in combination with (drug) Therapy in subjects with Type 2 Diabetes Mellitus who have inadequate Glycemic control on (drug) therapy alone.
- 2003** Phase III, randomized, double-blind, placebo controlled multicenter trial to Evaluate the safety and efficacy (drug) as monotherapy in subjects with Type II Diabetes Mellitus who have inadequate glycemic control.
- 2003** A Phase III, Randomized, Double-Blind, Placebo-Controlled, Outpatient, Safety and Efficacy Study of (drug) in Elderly Subjects with Chronic Insomnia.
- 2003** (Drug) Open-label, long term, Flexible Dose Study of Safety, Tolerability, and Therapeutic Response in Patients with Parkinson's Disease.
- 2003** An Assessment of Behavioral Changes Associated with Lamotrigine and Levetiracetam in Patients with Epilepsy
- 2002** A Multicenter, Double-Blind, Randomized Study to Evaluate the Safety and Efficacy of (drug) 200mg/day, 300mg/day and 400mg/day Compared with Placebo in Subjects with Painful Diabetic Neuropathy
- 2002** Comparison of the efficacy and safety of 2 oral doses of (drug), 5mg/day or 20mg/day, versus placebo, as an aid to maintenance of smoking cessation – a multiple country, randomized, double blind, 5 arm, placebo-controlled, parallel-group, fixed dose, 2-year, multi-center, Phase III trial; 1-year treatment, 1-year follow-up
- 2002** A Study of the Safety and Efficacy of (drug) Laxative for the Treatment of constipation
- 2002** A Comparison of the Efficacy and Safety of (drug) versus Placebo in the Treatment of Essential Tremor
- 2001** Study of the Efficacy and Tolerability of Once Daily (drug) and Twice Daily (drug) vs. Placebo in the Treatment of Hispanic Subjects of Osteoarthritis of the Knee
- 2001** A Comparison of the Efficacy and Safety of (drug) versus placebo in the Treatment of Essential Tremor
- 1997** The effects of Stress on Physical Health